# A NEW RECORD FOR THE FLORA OF IRAN: LONICERA MICROPHYLLA (CAPRIFOLIACEAE)

## F. Ghahremaninejad & A. Ezazi

Received 16.07.2009. Accepted for publication 02.12.2002

Ghahremaninejad, F., Ezazi A. & Attar, A. 2009 12 31: A new record for the flora of Iran: *Lonicera microphylla* Willd. ex Roem. & Schultes (*Caprifoliaceae*). -*Iran. J. Bot. 15* (2): 157-158. Tehran.

Lonicera microphylla Willd. ex Roem. & Schultes is recorded here for the first time from Iran. This species, in Iranian plateau, was previously known from Afghanistan and Pakistan. With this record the number of Lonicera species in Iran increases to nine.

Farrokh Ghahremaninejad (correspondence) < ghahremaninejad@gmail.com> & Atefeh Ezazi, Dept. of Biology, Tarbiat Moallem University, Mofatteh Avenue, Tehran, Iran.

Key words. Iran, new record, Lonicera, Caprifoliaceae.

گزارش جدیدی برای فلور ایران: Lonicera microphylla (Caprifoliaceae)

**فرخ قهرمانی نژاد**، دانشیار گروه زیست شناسی دانشگاه تربیت معلم.

عاطفه اعزازی، دانشجوی کارشناسی ارشد گروه زیست شناسی دانشگاه تربیت معلم.

گونه Lonicera microphylla Willd. ex Roem. & Schultes برای اولین بار از ایران گزارش می گردد. این گونه در محدوده فلات ایران از افغانستان و پاکستان گزارش شده است. با این گزارش تعداد گونههای این جنس در ایران به ۹ می رسد.

#### Introduction

Lonicera L. (Caprifoliaceae) includes more than 180 species in the world (Mabberley 2008), with 19 species in the Flora Iranica region (Wendelbo 1965). Six species occur in Iran based on a treatment by Wendelbo (1965), while eight are listed in a treatment by Khatamsaz (1995).

During floristic investigation by the authors in Saluk National Park, Khorassan province (NE Iran) that started in spring 2008, one rare and interesting *Lonicera* shrub was observed and herbarium specimen was collected for the further taxonomic study.

Based on the Flora Iranica treatment (Wendelbo 1965), this specimen is determined as *Lonicera microphylla* Willd. ex Roem. & Schultes a new record for the flora of Iran. The total species for the genus with this new record has now reached to nine in Iranian territory.

**Lonicera microphylla** Willd. ex Roem. & Schultes, Syst. Veg. 5: 258 (1819).

Shrub 2.5 m high. Stem woody, highly branched. Leaf narrowly elliptic to obovate; rounded, obtuse or acute, (0.5) 1-2 cm long and 0.3-1.2 cm wide, on both sides covered with loosely short appressed hairs or glabrous,

ciliate at the margin; petiole ± 2 mm long. Peduncles 5-7 mm long. Bracts linear, shorter than the ovaries. Bracteole absent. Calyx margin undulate (wavy). Ovaries glabrous; united up to middle. Corolla yellow, 8-12 mm long; tube distinctly gibbous at the base; lower lip longer than the upper. Stamens shorter than the upper lip (Fig. 1).

Specimen seen. Iran: Northern Khorassan, Saluk National Park. Joz valley, 1702 m, 15.4.2009, A. Ezazi 5320 (the herbarium specimens are deposited at FAR and TARI herbaria).

#### Acknowledgements

The first author thanks the Department of Environment of I. R. of Iran for the permission to collect plant specimens from the National Park.

### References

Khatamsaz, M. 1995. Caprifoliaceae in Assadi, M. et al. (eds.): Flora of Iran, no. 13. – Tehran.

Mabberley, D. J. 2008: The Plant Book.-Cambridge.
Wendelbo, P. 1965: Caprifoliaceae in Rechinger, K. H. (ed.): Flora Iranica, no. 10. – Graz: Akademische Druck- und Verlagsanstalt.



Fig. 1. Lonicera microphylla. -A. Ezazi 5320.